Clinical Implications of the Introduction of an Alcohol Withdrawal Order Set



LEG Lead and Administrator Meeting November 5, 2016 Drs. Deborah Smith and Jennifer Zymantas

Faculty/Presenter Disclosure

No financial or personal relationships to disclose

Disclosure of Commercial Support

 Supported by the Northern Ontario Academic Medicine Association (NOAMA) Clinical Innovations Opportunities Fund Award



Objectives

- Recognize that Alcohol Withdrawal Syndrome is a common and serious medical condition
- Describe a process to develop and implement a Quality Improvement (QI) project
- Explore strategies to overcome barriers to QI/Research











KEEP CALM AND **FOLLOW** DIRECTIONS





Process to Develop



- Time commitment
 - 1st Year → Create & Implement Order Set
 - 2nd Year → Chart Review & Quality Assurance





QI Retrospective Chart Review

Objectives:

- Examine patient outcomes both pre- and post-implementation of this new order set
- Identify protocol breeches




QI Retrospective Chart Review

- Initial sample size = 79
- After matching 54 (27 Pre : 27 Post)




Mean Doses of All Benzodiazepines


Equivalence: 1 mg Lorazepam



Patient Incidents Pre- & Post-Implementation




Breeches in Protocol




"Oh, man – how many times have I told you? Measure twice, cut once."

Benzodiazepine Administration Without CIWA-Ar Assessment

Correct Dose of Benzodiazepine













Acknowledgements

- Mary Anne Harrison (Research Assistant)
- Elizabeth Lacelle (Nurse Clinician)
- Aline Lemoyne (Chart Forms)
- NOAMA Clinical Innovations Opportunities Fund Award





Questions???



THANKYOU!

debsmith@nosm.ca jzymantas@nosm.ca